




Dimensions



	Name
	Reference
	Color
	RAL
	Category

PRODUCT

ENSO SEMI RECESSED 2700K WT

A5721000WT

Textured white

9016

WALL

	Type
	Gross luminous flux
	Colour temperature
	Chromatic stability
	Colour Rendering Index
	Power
	Efficacy
	LED lifespan
	Energy efficiency class

LIGHT SOURCE

LED

190 lm

2700 K

MacAdam Step 2

CRI>90

2,1 W

90 lm/W

L90B10 > 108.000h

F

	Lighting efficiency
	Light beam angle

LIGHTING FIXTURE | PHOTOMETRIC DATA

84%

16°

	Driver
	Power values of the system
	Frequency
	Dimming
	Electrical insulation class

LIGHTING FIXTURE | ELECTRICAL DATA

Included

2,82 W

50/60 Hz

No Dim



	Sealing
	Recess measurements
	Swivel angle
	Rotation angle
	Weight
	Packaged weight
	Packaging dimensions
	Units per package
	Materials

OTHER DATA

IP20

35 x 122 mm

90°

360°

400 g

485 g

170 x 127 x 99 mm


1

Aluminium / Polycarbonate




Designed by Mario Ruiz (National Design Award 2016), Enso joins the collection as a bedside luminaire, providing focused and comfortable lighting for reading in bedrooms and rest areas. With discreet lighting along its vertical axis and directed light that avoids glare, it combines function and form to integrate harmoniously into the space. With a monolithic silhouette and a distinctive beveled profile, Enso is available in two installation modes: recessed or semi-recessed. Its light source can rotate 360°, while the 2700K color temperature prioritizes warmth and relaxation.

Polar diagram



Conical diagram





Fuente de luz (LED) reemplazable por un profesional autorizado

Replaceable (LED only) light source by an authorized professional.

Source lumineuse (LED) remplaçable par un professionnel agréé

Sorgente luminosa (LED) sostituibile da parte di un professionista autorizzato

Austauschbare (LED) Lichtquelle durch einen autorisierten Fachmann



Equipo de control reemplazable por un profesional autorizado

Replaceable control gear by an authorized professional

Dispositif de commande remplaçable par un professionnel agréé

Alimentatore sostituibile da parte di un professionista autorizzato

Auswechselbares Betriebsgerät durch autorisierten Fachmann

Instrucciones para el final de vida y la eliminación de los componentes:

Instructions on end-of-life and component disposal:

Instructions pour la gestion des composants en fin de vie et leur mise au rebut :

Istruzioni per il fine vita e lo smaltimento dei componenti:

Anweisungen zur entsorgung der Leuchtenkomponenten:



Interrumpir la alimentación del aparato
Cut the power supply to the luminaire
Couper l'alimentation du luminaire
Interrompere l'alimentazione dell'apparecchio
Stromversorgung der Leuchte unterbrechen



Quitar la(s) fuente(s) de luz para el desecho
Remove light source(s) for disposal
Retirer la (les) source(s) lumineuse(s) pour l'élimination
Rimuovere la/le sorgente/e di luce per lo smaltimento
Lichtquelle(n) zur Entsorgung entfernen



Quitar la batería para el desecho
Remove the battery for decommissioning
Retirer la batterie pour sa mise au rebut
Rimuovere la batteria per la dismissione
Die Batterie ordnungsgemäß entsorgen



Quitar el equipo de control para el desecho
Remove control gear for disposal
Retirer le dispositif de commande pour l'élimination
Rimuovere l'alimentatore per lo smaltimento
Betriebsgerät zur Entsorgung ausbauen

Enviar los materiales a un centro de recogida RAEE
Send the materials to a WEEE collection centre
Envoyer les matériaux dans une déchetterie DEEE
Inviare i materiali ad un centro di raccolta RAEE
Die Materialien in einem WEEE-Zentrum entsorgen

