# Loop


ARKOSLIGHT



| PRODUCT | |
|---|---|
| Name | LOOP 1300 BASE UL 2M 2700K BG |
| Reference | U4732000BG |
| Color | Brushed Gold |
| RAL | Paint of metallic nanoparticles |
| Category | SUSPENSION |

| MOUNTING ACCESSORY / DRIVER | |
|---|---|
| Mounting Accessory / Driver | Mandatory, not included. See Mounting acc. Page |
| Model | REMOTE BOX 19.6–26.4W 700mA |
| Reference | U1000137 |

## Dimensions




| LIGHT SOURCE | |
|---|---|
| Type | LED |
| Gross luminous flux | 2900 Lm |
| Color temperature | 2700 K |
| Chromatic stability | MacAdam Step 3 |
| Color Rendering Index | CRI>95 |
| Power | 24.6 W |
| Current | 700 mA |
| Efficacy | 118 Lm/W |
| LED lifespan | L90B10>50.000h |

| LIGHTING FIXTURE \| PHOTOMETRIC DATA | |
|---|---|
| Lighting efficiency | 38% |
| Delivered luminous flux | 1102 Lm |
| Light beam angle | 110° |

| LIGHTING FIXTURE \| ELECTRICAL DATA | |
|---|---|
| Power values of the system | 28.1 W |
| Voltage | 120-277 V |
| Frequency | 50/60 Hz |
| Dimming | 0-10V |

| OTHER DATA | |
|---|---|
| IC Rated | Yes |
| Environmental location | DAMP |

## Awards

reddot winner 2023 lighting design

archiproducts AWARDS WINNER

light MIDDLE EAST AWARDS 2025

Daring and fanciful, Loop appeals to industrial lyricism with a design inspired by electrical insulators. The protagonist of the decoration, its body is a sequence of light disks with an aluminium interior. It's adorned by a suspended glass cylinder that acts as a fastflowing, controlled source of projected light.

Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com



5 Year GUARANTEE


# Loop

ARKOSLIGHT



| | OTHER DATA |
|---|---|
| **Cord Length** | MAX. 6.55 ft \| MAX. 2 m |
| **Fast adjustment tensioner** | No |
| **Weight** | 7.14 lb \| 3237 gr |
| **Packaged weight** | 11.55 lb \| 5237 gr |
| **Packaging dimensions** | Ø5 x 64.76 in \| Ø127 x 1645 mm |
| **Materials** | Optical glass / Optical Polymethyl Methacrylate |

## Dimensions




## Awards

reddot winner 2023 lighting design

archiproducts AWARDS WINNER

light MIDDLE EAST AWARDS 2025

Daring and fanciful, Loop appeals to industrial lyricism with a design inspired by electrical insulators. The protagonist of the decoration, its body is a sequence of light disks with an aluminium interior. It's adorned by a suspended glass cylinder that acts as a fastflowing, controlled source of projected light.

Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com




5 Year GUARANTEE

# Mounting Accessory / Driver

ARKOSLIGHT

## Mandatory / Not Included




| | PRODUCT |
|---|---|
| Model | REMOTE BOX 19.6–26.4W 700mA |
| Driver | Included |
| Reference | U1000137 |
| IC Rated | Yes |
| Dimming | 0-10V |
| Size | 7.48 x 2.52 x 1.38 in \| 190 x 64 x 35 mm |
| Weight | 1.59 lb \| 720 gr |
| Packaged weight | 1.93 lb \| 875 gr |
| Packaging dimensions | 11.26 x 2.91 x 1.77 in \| 286 x 74 x 45 mm |
| Nº Luminaires | 1 |
| LED - Driver Distance | Maximum suggested remote mounting distance is 24 feet |

| | INPUT CHARACTERISTICS |
|---|---|
| Input Voltage | 120-277 V |
| Frequency | 50/60 Hz |

| | OUTPUT CHARACTERISTICS |
|---|---|
| Output Voltage | 28 - 42 V |
| Output Current | 700 mA |
| Output Power | 19.6 - 26.4 W |


Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com



5 Year GUARANTEE

# Wiring Diagram

ARKOSLIGHT




SERIAL CONNECTION FOR SEVERAL FIXTURES TO A SINGLE CONSTANT CURRENT DRIVER
RESPECT THE DISTANCE LED - DRIVER

Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com




5Year GUARANTEE


# Lighting Technical Data

ARKOSLIGHT

## Polar diagram




## Conical diagram




Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com



5 Year GUARANTEE