
# Dune

ARKOSLIGHT



## Dimensions




## Accessories



CORD ACCESSORY

| PRODUCT | |
|---|---|
| Name | DUNE 35 BASE UL 2M 3000K BE |
| Reference | U4821001BE |
| Color | Textured Beige |
| RAL | 1001 |

| LIGHT SOURCE | |
|---|---|
| Type | LED |
| Gross luminous flux | Depending on Mounting Accessories Lm |
| Color temperature | 3000 K |
| Chromatic stability | MacAdam Step 2 |
| Color Rendering Index | CRI>90 |
| Power | Depending on Mounting Accessories W |
| Current | Depending on Mounting Accessories mA |
| LED lifespan | L90B10>55.000h |

| LIGHTING FIXTURE \| PHOTOMETRIC DATA | |
|---|---|
| Lighting efficiency | 75% |
| Light beam angle | 132° |

| LIGHTING FIXTURE \| ELECTRICAL DATA | |
|---|---|
| Driver | Requires remote driver |
| Power values of the system | Depending on Mounting Accessories W |
| Frequency | Depending on Mounting Accessories |
| Dimming | Depending on Mounting Accessories |

| OTHER DATA | |
|---|---|
| Environmental location | DAMP |
| Cord Length | MAX. 6.55 ft \| MAX. 2 m |
| Fast adjustment tensioner | No |
| Weight | 2.20 lb \| 1000 gr |
| Packaged weight | 3.18 lb \| 1446 gr |
| Packaging dimensions | 17.28 x 15.12 x 5 in \| 439 x 384 x 127 mm |
| Materials | Aluminium / Polycarbonate |

Intertek

The Dune suspension luminaire dresses the light and builds the space with a conical, classic and light silhouette. Its language between the technical and the decorative, redefines this archetype with a pure geometry of sharp edges like folded paper, and a placid and homogeneous projected light that invites to enjoy.

Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com




5 Year GUARANTEE


# Lighting Technical Data

ARKOSLIGHT

## Polar diagram




## Conical diagram





Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia - Valencia (Spain)
info@arkoslight.com - www.arkoslight.com



5 Year GUARANTEE


# Cord Accessory

ARKOSLIGHT



| | PRODUCT |
|---|---|
| Model | Cord Accessory UL |
| Reference | **U223-00-00** \| **W** \| **N** \| |
| Colour | **W** ☐ RAL 9016 \| **N** ■ RAL9005 |
| Category | Accessories |

## Dimmensional drawing




Calle N, s/n - Pol. Ind. El Oliveral
46394 Ribarroja del Turia-Valencia (Spain)
info@arkoslight.com - www.arkoslight.com

5Year GUARANTEE